


Grease Duct Spec



Model:
SW-NAKS-CK-KIT04
Single Wall 12" Vertical



- 2x J-600 Sealant
- 2x SW-NAKS-CK12-LSB Light Support Band
- 2x SW-NAKS-CK12-CLB Cut Length Band
- 2x SW-NAKS-CK12-24L 24" Fixed Length
- 2x SW-NAKS-CK12-48L 48" Fixed Length
- 1x SW-NAKS-CK12-NWHA No-Weld Hood Adapter
- 1x SW-NAKS-CK12-FPE:36x36 Fan Plate Adapter - End

Ø	6	7	8	9	10	11	12	13	14	16
A	6	7	8	9	10	11	12	13	14	16
lb	1.23	1.39	1.54	1.69	1.87	2.02	2.18	2.33	2.49	2.82

Ø	18	20	22	24	26	28	30	32	34	36
A	18	20	22	24	26	28	30	32	34	36
lb	3.12	3.45	3.76	4.09	4.40	4.71	5.04	5.35	5.68	5.98



	drawn by JJR	model SW-NAKS-CK	code LSB	description SW-NAKS-CKØ-LSB Light Support
--	-----------------	---------------------	-------------	---





Vent Diameter	Number of Joints Per 10 oz. Tube
3" - 6"	6.7
8" - 10"	6
11" - 12"	5.3
13" - 16"	4.7
18" - 20"	4
22" - 24"	3.3
26" - 28"	2.7
30" - 32"	2
34" - 36"	1.3
38" - 48"	0.7

	drawn by JJR	model ALL	code J-600	description J-600 Sealant
--	-----------------	--------------	---------------	-------------------------------------

Ø	6	7	8	9	10	11	12	13	14	16
A	6	7	8	9	10	11	12	13	14	16
lb	0.35	0.42	0.46	0.51	0.55	0.59	0.64	0.68	0.75	0.84



Ø	18	20	22	24	26	28	30	32	34	36
A	18	20	22	24	26	28	30	32	34	36
lb	0.92	1.01	1.12	1.21	1.30	1.41	1.50	1.58	1.69	1.78




		drawn by JJR	model SW-NAKS-CK	code LB	description SW-NAKS-CKØ-LB Locking Band
--	--	-----------------	---------------------	------------	---

Ø	6	7	8	9	10	11	12	13	14	16
A	6	7	8	9	10	11	12	13	14	16
lb	0.59	0.68	0.75	0.84	0.92	1.01	1.08	1.17	1.23	1.43

Ø	18	20	22	24	26	28	30	32	34	36
A	18	20	22	24	26	28	30	32	34	36
lb	1.56	1.74	1.89	2.07	2.22	2.40	2.53	2.73	2.86	3.06



		drawn by JJR	model SW-NAKS-CK	code CLB	description SW-NAKS-CKØ-CLB Cut Length Locking Band
--	--	-----------------	---------------------	-------------	---



Ø	6	7	8	9	10	11	12	13	14	16
A	6	7	8	9	10	11	12	13	14	16
lb	3.67	4.27	4.86	5.46	6.05	6.64	7.22	7.81	8.40	9.59


Ø	18	20	22	24	26	28	30	32	34	36
A	18	20	22	24	26	28	30	32	34	36
lb	10.78	11.97	13.16	19.58	21.21	22.81	24.44	26.07	27.70	29.30



*FLANGE SUPPORT BAND INCLUDED
ON SIZES 14" AND ABOVE

*INCLUDES 1 LOCKING BAND

		drawn by	JJR	model	SW-NAKS-CK	code	24L	description	SW-NAKS-CKØ-24L 24" Fixed Length	
--	--	----------	-----	-------	------------	------	-----	-------------	---	--



Ø	6	7	8	9	10	11	12
A	6	7	8	9	10	11	12
lb	6.93	8.05	9.17	10.32	11.44	12.58	13.71


Ø	13	14	16	18	20	22	24
A	13	14	16	18	20	22	24
lb	14.83	15.97	18.24	20.48	22.75	25.01	37.69




*FLANGE SUPPORT BAND INCLUDED
ON SIZES 14" AND ABOVE

*INCLUDES 1 LOCKING BAND


		drawn by	JJR	model	SW-NAKS-CK	code	48L	description	SW-NAKS-CKØ-48L 48" Fixed Length	
--	--	----------	-----	-------	------------	------	-----	-------------	---	--



ϕ	6	7	8	9	10	11	12			
A	6	7	8	9	10	11	12			
C	8.07	9.07	10.07	11.07	12.07	13.07	14.07			
n	8			10			12			
lb	2.49	2.82	3.15	3.54	3.87	4.27	4.60			




drawn by	JJR	model	SW-NAKS-CK	code	NWHA	description	SW-NAKS-CK ϕ -NWHA No-Weld Hood Adapter - Start			
----------	-----	-------	------------	------	------	-------------	--	--	--	--



ϕ	6	7	8	9	10	11	12	13	14	16
A	6	7	8	9	10	11	12	13	14	16
C	29									
lb	15.36	15.31	15.25	15.16	15.05	14.89	14.72	14.52	14.30	13.75

ϕ	18	20	22	24	26	28	30	32	34	36
A	18	20	22	24	26	28	30	32	34	36
C	36					42			48	
lb	21.16	20.39	19.51	19.51	26.77	25.65	24.42	32.63	31.17	29.59



*INCLUDES 1 LOCKING BAND

drawn by	JJR	model	SW-NAKS-CK	code	FPE	description	SW-NAKS-CK ϕ -FPE Fan Plate Adapter - End			
----------	-----	-------	------------	------	-----	-------------	--	--	--	--